

# SPECIFICATIONS OF VARIOUS STANDARD DETERGENTS

Component	IEC-B, Swissatest 603	AHAM, Swissatest 607	ECE 77, Swissatest 601	ECE 98, Swissatest 600	IEC-A*, Swissatest 602
LAS	6,4	11,3	8,0	9,7	8,8
Nonionic	2,3	6,0	2,9	5,2	4,7
Soap	2,8	4,1	3,5	3,6	3,2
Anti foam	–	5,0	–	4,5	3,9
Phosphate	35,0	–	43,8	–	–
Zeolite	–	36,3	–	32,5	28,3
Carbonate	–	14,9	–	11,8	11,6
Acrylic acid, Maleic acid	–	3,1	–	5,2 <sup>(1)</sup>	2,4
Copolymer Na-Polyacrylate	–	–	–	–	–
Na-Silicate	6,0	3,8	7,5	3,4	3,0
Mg-Silicate	1,5	–	1,9	–	–
CMC	1,0	1,5	1,2	1,3	1,2
EDTA	0,2	–	0,2	–	–
Sequestrant		3,6			
Phosphonate	–	–	–	0,8 <sup>(2)</sup>	2,8 <sup>(2)</sup>
Optical brightner	0,2	0,3	–		0,2
Sulphate	16,8	8,6	21,2	9,8	6,5
Protease	–	0,5	–	–	0,4
Water/Misc.	7,8	–	9,8	12,2	–
Perborate, Swissatest 604 <sup>(3)</sup>	20,0	1,0	–	–	20,0
TAED, Swissatest 606 <sup>(3)</sup>	–	–	–	–	3,0

<sup>1)</sup> Specified as compound 50%

<sup>2)</sup> Specified as acid: Acid content of technical product approx. 25%

<sup>3)</sup> Delivered separately